DEC INTERNATIONAL INICAL SPECIFICATIONS





SONODEC 25

ACOUSTICALLY AND THERMAL INSULATED DUCTING

The SONODEC 25 consists of a perforated aluminum laminate inner duct thermally and acoustically insulated with glass wool and is provided with an aluminium laminated outer jacket. A barrier between the duct and the glass wool prevents the diffusion of glass wool particles.

APPLICATION

- Air-conditioning systems
- Air supply systems
- Preventing condensation in air ventilation systems

DS{Ø}

10 mtr

-30 °C to 140 °C

up to +2500 Pa

0.54 x Ø + 25mm

alu/poly laminate closed film

25mm, 16kg/m³

alu/poly laminate

0.65 m² K/W (ASTM C177-76) aluminium

max. 30 m/s

82 – 508 mm

Decreasing of machine noises

SPECIFICATIONS

Article code: Temperature range: Operating pressure: Operating air velocity: Min. bending radius: Standard diameter range: Standard length:


CONSTRUCTION

Inner duct: Barrier Glass wool blanket: Outer jacket: R-value glass wool:

Appearance:

CLASSIFICATIONS

UK (BS476): NL(NEN 6065/6066) FR (NF): Marine certified MED Part 6, 7 and 20 1 Μ1



The **SONODEC 25** fulfills all the requirements and are classified as specified within EN 13180: Ventilation for buildings – Ductwork - Dimensions and mechanical requirements for flexible ducts.

The **SONODEC 25** is also available, on request, as **SONODEC 50** with a 50 mm glass wool layer, the article number is: DS50{ \emptyset } Specifications are the same as Sonodec 25 except for:

- R-value glass wool: 1.3 (50 mm) m² K/W (ASTM C177-76).
- Min. bending radius: $0.54 \times 0 + 50$ mm

LIABILITY:

30/3/2020

The information contained in this brochure was current on the The information contained in this brochure was current on the publication date. DEC INTERNATIONAL reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact DEC INTERNATIONAL checking for any changes in materials and/or information after this brochure was published.

PLEASE NOTICE:

The consultant is responsible for the actual installation and The consultant is responsible for the actual instaliation and mounting of the product. The mentioned values with respect to temperatures are not appropriate to be used to determine the physical properties. These properties are also dependent on humidity and the temperature of the air inside and outside of the H.V.A.C. system. DEC INTERNATIONAL - P.O. BOX 35 - NL-7500AA - ENSCHEDE - THE NETHERLANDS - WWW.DECINTERNATIONAL.COM

TRADEMARKS:

SONODEC, the DEC logo and DEC International are trademarks, or registered trademarks of Dutch Environment Corporation BV in the Netherlands and/or other countries countries

RESTRICTIONS:

The SONODEC ducts are not suitable for discharging combustion products from open fireplaces and oil-fired boilers. Neither are the SONODEC ducts suitable for transporting air with a high concentration of acid and base

DEC INTERNATIONAL TECHNICAL SPECIFICATIONS





SONODEC 25

ACOUSTICALLY AND THERMAL INSULATED DUCTING

SOUND ATTENUATION According: ISO 7235

SONODEC 25		(Test report nr. AB323-1 Peutz bv - The Netherlands)							
		Attenuation, dB - Mid-frequency, Hz							
D1 (mm)	L (mtr)	125	250	500	1000	2000	4000		
82	1	16	26	33	38	28	17		
	2	21	37	48	53	46	29		
	3	29	45	49	54	57	38		
102	1	9	19	32	37	31	21		
	2	19	33	52	53	49	36		
	3	25	39	50	52	54	40		
127	1	12	20	21	25	29	17		
	2	17	31	44	45	46	26		
	3	23	46	44	47	51	34		
160	1	17	22	22	27	19	14		
	2	31	39	34	38	31	20		
	3	29	43	41	46	39	27		
203	1	7	15	17	20	16	13		
	2	20	34	32	35	30	22		
	3	18	40	38	41	39	30		
254	1	16	16	16	16	13	10		
	2	26	31	28	33	25	18		
	3	32	36	32	37	34	27		
315	1	11	12	12	14	11	7		
	2	28	25	22	27	22	15		
	3	27	32	28	34	28	19		
457	1	12	10	8	8	6	8		
	2	20	17	15	16	13	12		
	3	25	22	21	25	19	16		
508	1	8	8	8	9	6	7		
	2	20	17	16	17	11	11		
	3	24	22	20	25	15	14		

SONODEC 50		(Test report nr. AB323-4 Peutz bv - The Netherlands)								
		Attenuation, dB - Mid-frequency, Hz								
D1 (mm)	L (mtr)	125	250	500	1000	2000	4000			
	1	14	19	34	40	27	18			
82	2	19	31	42	59	45	30			
	3	23	39	50	61	63	41			
102	1	7	18	31	43	28	20			
	2	11	32	49	61	45	27			
	3	13	35	55	62	51	33			
127	1	7	15	22	32	26	18			
	2	14	27	47	56	40	28			
	3	17	32	54	59	54	34			
160	1	12	20	23	28	18	11			
	2	22	36	43	50	29	20			
	3	32	45	47	55	43	28			
	1	4	9	14	20	14	13			
203	2	13	22	35	43	30	24			
	3	15	34	47	50	41	34			
254	1	14	14	16	15	11	10			
	2	26	28	30	31	18	14			
	3	36	36	35	44	25	23			
315	1	15	13	15	16	9	7			
	2	27	26	28	32	15	13			
	3	31	32	30	37	20	17			
	1	9	9	10	9	5	7			
457	2	20	19	21	17	11	13			
	3	24	23	27	24	16	17			
	1	7	8	9	8	5	7			
508	2	19	17	20	15	9	10			
	3	23	24	28	21	14	14			

LIABILITY:

30/3/2020

LIABILITY: The information contained in this brochure was current on the publication date. DEC INTERNATIONAL reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact DEC INTERNATIONAL checking for any changes in materials and/or information after this brochure was published.

PLEASE NOTICE:

s current on the the right to make the right to temperatures are not appropriate to be used to materials and/or DEC INTERNATIONAL - P.O. BOX 35 - NL-7500AA - ENSCHEDE - THE NETHERLANDS - WWW.DECINTERNATIONAL.COM

TRADEMARKS: SONODEC, the DEC logo and DEC International are trademarks, or registered trademarks of Dutch Environment Corporation BV in the Netherlands and/or other countries

RESTRICTIONS: