


Architectural residential air valve with limitless customisation possibilities for new buildings or renovation





What do you think about more comfort, less energy consumption, low noise levels and minimal pressure loss? Thanks to the aerodynamic optimisation of the geometry, with the **residential diffuser of Imaginair** we can guarantee an optimal airflow.


- + No other similar product supplies the required air volume at a lower noise level.
- + The low air resistance reduces the energy requirements of ventilation and results in a lower energy bill.

Suitable for wall or ceiling installation.

A conditioned airflow (heated, purified etc.) costs energy, hence money. Therefore possible losses should be avoided by all means.

 + With our airtight double lip seal the Imaginair residential diffuser reaches the highest standard of airtightness. Because every details counts you can choose three different shapes:

- > the smallest size of front plate you can use in a limited space
- > two variants with royal dimensions
- + Forget about the standard valves. Choose the texture and the colour that you want.
- + Or choose the optional primer, this allows you to paint the front plate yourself with wall paint.





- + Silence also means comfort. Thanks to the **residential valve of Imaginair** you enjoy the most silent product available in the market.
- + Optionally there is an extra silencer available to attenuate the fan noise.
- Installation has never been so easy.
  You want to mount in a gypsum board ceiling? In that case we have an adapted version with springs for you.
  In all other cases the mounting bracket takes care of a skillful installation.
  You can finish without using special equipment.
- + Both systems enable an easy cleaning of the ducting.

Thanks to the well-thought-out execution of the shape you can use the **residential valve of Imaginair** as well for supply as for exhaust. So you enjoy a uniform look. The right choice of materials and the optimisation of the exhaust airflow ensure that the diffuser gets less rapidly dirty than other types of diffusers. So you don't have to clean it that often.

+ All parts are easily cleanable.





# DESCRIPTION The ingenious architectural valve of Imaginair is suitable for homes as well as for offices. You can choose between a ceiling or a wall installation.

This product is not only **pleasing to the eye**, it combines also **exceptional air technical performances** at an **extremely low noise level**.

You can use this residential valve easily as **supply or exhaust**, **in new buildings** and **for renovation**. Also servicing is done in a flash.

The residential diffuser consists of two parts:

- + the base valve (available with mounting bracket or springs)
- + the deflector plate (available in different shapes and surface finishings)

A simple screw joint couples both parts faultlessly. Each valve has a **double lip seal**. In this way your ductwork gets a **class D airtightness**. Next to that a static pressure measurement can easily be done.

Because every detail is important, you can choose for the primer version. You can paint **your residential diffuser Imaginair in your favorite colour** and give a personal touch to the design and your home!





LARGE




SMALL



Square





#### WITH MOUNTING SPRINGS

#### WITH MOUNTING BRACKET








## MATERIALS

The base is made of **high quality PP**. A double lip seal of **TPE** guarantees an optimal tightness. Also the damper, which is mounted on a galvanised M6 screw thread consists of PP. The aluminium deflector plate is finished with an epoxypolyester powdercoating in order to obtain a perfect result.



TECHNICAL SPECIFICATIONS			
TECHNICAL SPECIFICATIONS	APPLICATION	Product	RLV
		Direction airflow	Radial
		Type airflow	Supply or exhaust
	CONSTRUCTION	Volume control	Damper, pressure measurement possible
		Front plate	Different shapes possible
	MATERIAL	Standard material	PP, powdercoated aluminium
		Standard finishing	RAL9003
	INSTALLATION	Mounting options	Mounting springs, mounting bracket

# QUICK SELECTION TABLE

## RESIDENTIAL VALVE SUPPLY


	L				
	20 dB(A)	25 dB(A)	30 dB(A)	35 dB(A)	
125	73 m³/h	86 m³/h	104 m³/h	125 m³/h	



#### RESIDENTIAL VALVE EXHAUST


	L <sub>w</sub>				
	20 dB(A)	25 dB(A)	30 dB(A)	35 dB(A)	
125	73 m³/h	86 m³/h	102 m³/h	121 m³/h	

# BASE VALVE






MOUNTING SPRINGS MOUNTING BRACKET




\* mounting bracket not shown on picture



FRONT PLATE



#### OPTIONS FINISHING



10

# CREATE YOUR OWN





11

CREATE YOUR OWN IMAGINAIR is available starting from 100 pieces.

A question? We listen, call us +32 (0)9 340 40 40 or send us an e-mail imaginair@grada.be.



Grada International N.V. Toekomstlaan 18 9160 Lokeren Belgium

T +32 (0)9 340 40 40 info@grada.be

